

Datasheet

COCOMM DT100



General characteristics

GSM 900/1800 MHz, UMTS 900/2100 MHz and LTE Bands 1/3/7/8/20/28/38/40/41

VoLTE

1.8" color display

SIM-in system

Micro USB charging

SMS messaging

Redial, transfer, divert, call waiting and conference call

Bluetooth 5.1

Remote SW update via FOTA

Backlit alphanumeric keypad

Phone, network and SIM lock security

Specs

Frequencies	GSM: 900/1800 UMTS: 900/2100 LTE: 1/3/7/8/20/28/38/40/41
Antenna	Integrated into the terminal
Screen	Dimensions: 1.8" Technology: TFT Resolution: 128x64 (color)
Processor	UNISOC T117 OS: RTOS
Battery	Type: Li-ion Capacity: 800 mAh Talk time: 2.5 hours Standby time: 200 hours
Memory	ROM: 128MB RAM: 64MB
Connections	SIM card slot Micro USB for charging and data transfer
Connectivity	Bluetooth 5.0
Supported services	Calling features: Redial, Call waiting, Transfer, Conference, Call forwarding, Speed dial SMS / Call log Remote SW upgrade via FOTA Phone, Network and SIM lock security
Languages	Spanish, English, French & Portuguese
Certifications	CE and RoHS (among others)
Dimensions	145x52x19mm; 162x81x102 mm (with base)
Weight	90 g ; 180 g (with base)

Sales package content

Terminal
Charging base
Charger
Battery
Quick guide
Warranty card
